

PharmLabs San Diego Certificate of Analysis



Sample DOZO PERKS 6CT - RAW GOLD

Sample ID SD241016-006 (101020)	Matrix Edible				
Tested for Latro inc	Received Oct 15, 2024		Reported Oct 18, 2024		
Sampled -	Unit Mass (g) 4.401	Num. of Servings 12	Serving Size (g) 0.37		

KTM - Kratom Analysis

Analyzed Oct 18, 2024 | Instrument HPLC VWD | Method SOP-KTM  
 The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	1.87	18.73	6.93	82.43	
Mitragynine (MITG)	0.018	0.054	0.38	3.77	1.39	16.59	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciocilatine (SPCL)	0.004	0.011	ND	ND	ND	ND	

UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC  
 DEA license: RP0611043  
 ISO/IEC 17025:2017 Acc. L17-427-1



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
 Fri, 18 Oct 2024 12:12:10 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1



\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.